

From Task-Oriented to Infant-Led Feedings: State of the Science © 2015

Erin Sundseth Ross, Ph.D., CCC-SLP

References

- Akerstrom S, Asplund I, Norman M. Successful breastfeeding after discharge of preterm and sick newborn infants. *Acta Paediatr.* Oct 2007;96(10):1450-1454.
- Als H. Toward a synactive theory of development: Promise for the assessment and support of infant individuality. *Infant Mental Health Journal.* 1982;3(4):229-243.
- Asadollahpour F, Yadegari F, Soleimani F, Khalesi N. The Effects of Non-Nutritive Sucking and Pre-Feeding Oral Stimulation on Time to Achieve Independent Oral Feeding for Preterm Infants. *Iranian journal of pediatrics.* Jun 2015;25(3):e809.
- Bache M, Pizon E, Jacobs J, Vaillant M, Lecomte A. Effects of pre-feeding oral stimulation on oral feeding in preterm infants: a randomized clinical trial. *Early Hum Dev.* Mar 2014;90(3):125-129.
- Barlow SM, Lee J, Wang J, et al. Frequency-modulated orocutaneous stimulation promotes non-nutritive suck development in preterm infants with respiratory distress syndrome or chronic lung disease. *J Perinatol.* Feb 2014;34(2):136-142
- Barlow SM, Finan DS, Lee J, Chu S. Synthetic orocutaneous stimulation entrains preterm infants with feeding difficulties to suck. *J Perinatol.* Aug 2008;28(8):541-548.
- Bingham PM, Ashikaga T, Abbasi S. Prospective study of non-nutritive sucking and feeding skills in premature infants. *Arch Dis Child Fetal Neonatal Ed.* May 2010;95(3):F194-200.
- Boiron M, Da Nobrega L, Roux S, Henrot A, Saliba E. Effects of oral stimulation and oral support on non-nutritive sucking and feeding performance in preterm infants. *Dev Med Child Neurol.* Jun 2007;49(6):439-444.
- Bragelien R, Rokke W, Markestad T. Stimulation of sucking and swallowing to promote oral feeding in premature infants. *Acta Paediatr.* Oct 2007;96(10):1430-1432.
- Brown LF, Pickler RH, Wetzel PA. Maternal attention and preterm infant feeding. *Journal for specialists in pediatric nursing : JSPN.* Jul 2014;19(3):257-265.
- Browne J, Ross E. Eating as a neurodevelopmental process for high risk newborns. *Clinics in Perinatology.* 2011;38(4):731-743.
- Chang YJ, Lin CP, Lin YJ, Lin CH. Effects of single-hole and cross-cut nipple units on feeding efficiency and physiological parameters in premature infants. *J Nurs Res.* Sep 2007;15(3):215-223.
- Chorna OD, Slaughter JC, Wang L, Stark AR, Maitre NL. A pacifier-activated music player with mother's voice improves oral feeding in preterm infants. *Pediatrics.* Mar 2014;133(3):462-468.

- Christiaanse ME, Mabe B, Russell G, Simeone TL, Fortunato J, Rubin B. Neuromuscular electrical stimulation is no more effective than usual care for the treatment of primary dysphagia in children. *Pediatr Pulmonol*. Jun 2011;46(6):559-565.
- Clark L, Kennedy G, Pring T, Hird M. Improving bottle feeding in preterm infants: Investigating the elevated sidelying position. *Infant*. 2007;3(4):154-158.
- Coker-Bolt P, Jarrard C, Woodard F, Merrill P. The effects of oral motor stimulation on feeding behaviors of infants born with univentricle anatomy. *J Pediatr Nurs*. Jan 2013;28(1):64-71.
- Crapnell T, Rogers C, Neil J, Inder T, Woodward L, Pineda R. Factors associated with feeding difficulties in the very preterm infant. *Acta Paediatr*. Aug 17 2013;102(12):e539-545.
- Davim RM, Enders BC, da Silva RA. Mothers' feelings about breastfeeding their premature babies in a rooming-in facility. *Rev Esc Enferm USP*. Sep 2011;44(3):713-718.
- Dawson JA, Myers LR, Moorhead A, et al. A randomised trial of two techniques for bottle feeding preterm infants. *J Paediatr Child Health*. Jun 2013;49(6):462-466.
- Deloian B. *Caring connections: Nursing support transitioning premature infants and their families home from the hospital*. Denver, University of Colorado Health Sciences Center, School of Nursing.; 1998.
- Dowling DA, Blatz MA, Graham G. Mothers' experiences expressing breast milk for their preterm infants: does NICU design make a difference? *Adv Neonatal Care*. Dec 2012;12(6):377-384.
- Edelman GM. *Neural Darwinism. The Theory of Neuronal Group Selection*. New York: Basic Books, Inc.; 1987
- Eishima K. The analysis of sucking behaviour in newborn infants. *Early Hum Dev*. 1991 Dec 1991;27(3):163-173
- Fucile S, McFarland DH, Gisel EG, Lau C. Oral and nonoral sensorimotor interventions facilitate suck-swallow-respiration functions and their coordination in preterm infants. *Early Hum Dev*. Jun 2012;88(6):345-350.
- Fucile S, Gisel EG, Lau C. Effect of an oral stimulation program on sucking skill maturation of preterm infants. *Dev Med Child Neurol*. Mar 2005;47(3):158-162.
- Fucile S, Gisel E, Lau C. Oral stimulation accelerates the transition from tube to oral feeding in preterm infants. *J Pediatr*. 2002 Aug 2002;141(2):230-236.
- Gennattasio A, Perri EA, Baranek D, Rohan A. Oral feeding readiness assessment in premature infants. *MCN Am J Matern Child Nurs*. Mar-Apr 2015;40(2):96-104; E109-110.
- Greene Z, O'Donnell CPF, Walshe M. Oral Stimulation Techniques in Preterm Infants - International Research Challenges. *J Neonatal Nurs*. 2013;19(4):168-174.

- Hanin M, Nuthakki S, Malkar MB, Jadcherla SR. Safety and Efficacy of Oral Feeding in Infants with BPD on Nasal CPAP. *Dysphagia*. Apr 2015;30(2):121-127.
- Horner S, Simonelli AM, Schmidt H, et al. Setting the Stage for Successful Oral Feeding: The Impact of Implementing the SOFFI Feeding Program With Medically Fragile NICU Infants. *J Perinat Neonatal Nurs*. Jan-Mar 2014;28(1):59-68.
- Howe TH, Sheu CF, Wang TN, Hsu YW. Parenting stress in families with very low birth weight preterm infants in early infancy. *Res Dev Disabil*. Jul 2014;35(7):1748-1756.
- Howe TH, Lin KC, Fu CP, Su CT, Hsieh CL. A review of psychometric properties of feeding assessment tools used in neonates. *J Obstet Gynecol Neonatal Nurs*. May-Jun 2008;37(3):338-349.
- Jadcherla SR, Wang M, Vijayapal AS, Leuthner SR. Impact of prematurity and co-morbidities on feeding milestones in neonates: a retrospective study. *J Perinatol*. Oct 8 2010;30(3):201-208.
- Jefferies AL, Canadian Paediatric Society F, Newborn C. Going home: Facilitating discharge of the preterm infant. *Paediatrics & child health*. Jan 2014;19(1):31-42.
- Jones K. The effect of positioning on the transition from tube to oral feeding in preterm infants: A pilot study. *Arch Dis Child Fetal Neonatal Ed*. 2008;93(Suppl 1):Fa80.
- Jonsson M, van Doorn J, van den Berg J. Parents' perceptions of eating skills of pre-term vs full-term infants from birth to 3 years. *International journal of speech-language pathology*. Dec 2013;15(6):604-612.
- Kirkby S, Greenspan JS, Kornhauser M, Schneiderman R. Clinical outcomes and cost of the moderately preterm infant. *Adv Neonatal Care*. Apr 2007;7(2):80-87.
- Lain SJ, Roberts CL, Bowen JR, Nassar N. Trends in New South Wales infant hospital readmission rates in the first year of life: a population-based study. *Med J Aust*. Jul 7 2014;201(1):40-43.
- La Orden Izquierdo E, Salcedo Lobato E, Cuadrado Perez I, Herraes Sanchez MS, Cabanillas Vilaplana L. [Delay in the acquisition of sucking-swallowing-breathing in the preterm; effects of early stimulation]. *Nutricion hospitalaria*. Jul-Aug 2012;27(4):1120-1126.
- Lau C. Is there an advantage for preterm infants to feed orally in an upright or sidelying position? *J Neonatal Nurs*. Feb 1 2013;19(1):28-32.
- Lau C, Fucile S, Schanler RJ. A self-paced oral feeding system that enhances preterm infants' oral feeding skills. *J Neonatal Nurs*. Jun 1 2015;21(3):121-126.
- Law-Morstatt L, Judd DM, Snyder P, Baier RJ, Dhanireddy R. Pacing as a treatment technique for transitional sucking patterns. *J Perinatol*. Sep 2003;23(6):483-488.
- Lessen B. Effect of the PIOMI on Feeding and Length of Stay. *Adv Neonatal Care*. 2011;11(2):129-139.

- Lima AH, Cortes MG, Bouzada MC, Friche AA. Preterm newborn readiness for oral feeding: systematic review and meta-analysis. *CoDAS*. Jan-Feb 2015;27(1):101-107.
- Lin CH, Chang YJ, Lin CN, Huang MC. [Feeding preterm infants: application of developmental care]. *Hu li za zhi The journal of nursing*. Jun 2012;59(3):107-112.
- Loewy J, Stewart K, Dassler AM, Telsey A, Homel P. The effects of music therapy on vital signs, feeding, and sleep in premature infants. *Pediatrics*. May 2013;131(5):902-918.
- Lucas RF, Smith RL. When is it safe to initiate breastfeeding for preterm infants? *Adv Neonatal Care*. Apr 2015;15(2):134-141.
- Ludwig S, Waitzman KA. Changing Feeding Documentation to Reflect Infant-Driven Feeding Practice. *Newborn and Infant Nursing Reviews*. 2007;7(3):155-160.
- Mamemoto K, Kubota M, Nagai A, et al. Factors associated with exclusive breastfeeding in low birth weight infants at NICU discharge and the start of complementary feeding. *Asia Pacific journal of clinical nutrition*. 2013;22(2):270-275.
- McCain GC, Del Moral T, Duncan RC, Fontaine JL, Pino LD. Transition From Gavage to Nipple Feeding for Preterm Infants With Bronchopulmonary Dysplasia. *Nurs Res. EPub* Sep 6 2012.
- McCain GC, Gartside PS, Greenberg JM, Lott JW. A feeding protocol for healthy preterm infants that shortens time to oral feeding. *J Pediatr*. 2001 Sep 2001;139(3):374-379.
- Medoff-Cooper B, Rankin K, Li Z, Liu L, White-Traut R. Multisensory intervention for preterm infants improves sucking organization. *Adv Neonatal Care*. Apr 2015;15(2):142-149.
- Migraine A, Nicklaus S, Parnet P, et al. Effect of preterm birth and birth weight on eating behavior at 2 y of age. *Am J Clin Nutr*. Jun 2013;97(6):1270-1277.
- Noel-Weiss J, Boersma S, Kujawa-Myles S. Questioning current definitions for breastfeeding research. *International breastfeeding journal*. 2012;7(1):9.
- Nyqvist KH. Lack of knowledge persists about early breastfeeding competence in preterm infants. *J Hum Lact*. Aug 2013;29(3):296-299.
- Nyqvist KH. Early attainment of breastfeeding competence in very preterm infants. *Acta Paediatr*. Jun 2008;97(6):776-781.
- Palmer MM, Crawley K, Blanco IA. Neonatal Oral-Motor Assessment scale: a reliability study. *J Perinatol*. 1993 Jan-Feb 1993;13(1):28-35.
- Papolos DF, Papolos J. *The bipolar child : the definitive and reassuring guide to childhood's most misunderstood disorder*. 3rd ed. New York: Broadway Books; 2006.
- Park J, Knafel G, Thoyre S, Brandon D. Factors associated with feeding progression in extremely preterm infants. *Nurs Res*. May-Jun 2015;64(3):159-167.

- Park J, Thoyre S, Knafelz GJ, Hodges EA, Nix WB. Efficacy of semielevated side-lying positioning during bottle-feeding of very preterm infants: a pilot study. *J Perinat Neonatal Nurs*. Jan-Mar 2014;28(1):69-79.
- Pavlov IP, Anrep GVe. *Conditioned reflexes : an investigation of the physiological activity of the cerebral cortex*. Oxford: University Press; 1927.
- Pickler RH, Reyna BA, Wetzel PA, Lewis M. Effect of four approaches to oral feeding progression on clinical outcomes in preterm infants. *Nursing research and practice*. Epub 2015 Apr 27.
- Pineda R. Direct breast-feeding in the neonatal intensive care unit: is it important? *J Perinatol*. Jan 27 2011;31(8):540-545
- Poore M, Zimmerman E, Barlow SM, Wang J, Gu F. Patterned orocutaneous therapy improves sucking and oral feeding in preterm infants. *Acta Paediatr*. Jul 2008;97(7):920-927.
- Premji S, Chessell L, Paes B, Pinelli J, Jacobson K. Evidence-based feeding guidelines for very low-birth-weight infants. *Advances in Neonatal Care*. February, 2002 2002;2(1):5-18.
- Puckett B, Grover VK, Holt T, Sankaran K. Cue-based feeding for preterm infants: a prospective trial. *American journal of perinatology*. Nov 2008;25(10):623-628.
- Rocha AD, Moreira ME, Pimenta HP, Ramos JR, Lucena SL. A randomized study of the efficacy of sensory-motor-oral stimulation and non-nutritive sucking in very low birthweight infant. *Early Hum Dev*. Jun 2007;83(6):385-388.
- Ross ES, Browne JV. Feeding outcomes in preterm infants after discharge from the Neonatal Intensive Care Unit (NICU): A Systematic Review. *Newborn & Infant Nursing Reviews*. June 2013 2013;13(2):87-93.
- Ross ES, Philbin MK. SOFFI: An evidence-based method for quality bottle-feedings with preterm, ill, and fragile infants. *Journal of Perinatal and Neonatal Nursing*. 2011;25(4):349-357.
- Schore AN. *Affect regulation and the origin of the self*. Hillsdale, NJ: Lawrence Erlbaum Associates.; 1994.
- Shaker CS. Cue-based feeding in the NICU: using the infant's communication as a guide. *Neonatal Netw*. Nov-Dec 2013;32(6):404-408.
- Shaker CS. Nipple feeding preterm infants: an individualized, developmentally supportive approach. *Neonatal Netw*. 1999 Apr 1999;18(3):15-22.
- Silberstein D, Geva R, Feldman R, et al. The transition to oral feeding in low-risk premature infants: relation to infant neurobehavioral functioning and mother-infant feeding interaction. *Early Hum Dev*. Mar 2009;85(3):157-162.
- Song D, Jegatheesan P, Weiss S, et al. Modulation of EEG spectral edge frequency during patterned pneumatic oral stimulation in preterm infants. *Pediatr Res*. Jan 2014;75(1-1):85-92.

- Standley JM. The effect of music-reinforced nonnutritive sucking on feeding rate of premature infants. *Journal of Pediatric Nursing*. 2003 Jun 2003;18(3):169-173.
- Standley JM, Cassidy J, Grant R, et al. The effect of music reinforcement for non-nutritive sucking on nipple feeding of premature infants. *Pediatr Nurs*. May-Jun 2010;36(3):138-145.
- Stevens EE, Gazza E, Pickler R. Parental experience learning to feed their preterm infants. *Adv Neonatal Care*. Oct 2014;14(5):354-361.
- Sweeney JK, Heriza CB, Blanchard Y, Dusing SC. Neonatal physical therapy. Part II: Practice frameworks and evidence-based practice guidelines. *Pediatr Phys Ther*. Spring 2010;22(1):2-16.
- Thomas KA. Biorhythms in infants and role of the care environment. *J Perinat Neonatal Nurs*. 1995 Sep 1995;9(2):61-75.
- Thoyre S, Park J, Pados B, Hubbard C. Developing a Co-Regulated, Cue-Based Feeding Practice: The Critical Role of Assessment and Reflection. *J Neonatal Nurs*. Aug 2013;19(4):139-148.
- Thoyre SM, Holditch-Davis D, Schwartz TA, Melendez Roman CR, Nix W. Coregulated approach to feeding preterm infants with lung disease: effects during feeding. *Nurs Res*. Jul-Aug 2012;61(4):242-251.
- Thoyre SM, Shaker CS, Pridham KF. The early feeding skills assessment for preterm infants. *Neonatal Netw*. May-Jun 2005;24(3):7-16.
- Torola H, Lehtihalmes M, Yliherva A, Olsen P. Feeding skill milestones of preterm infants born with extremely low birth weight (ELBW). *Infant Behav Dev*. Apr 2012;35(2):187-194.
- Van Nostrand SM, Bennett LN, Coraglio VJ, Guo R, Muraskas JK. Factors influencing independent oral feeding in preterm infants. *Journal of neonatal-perinatal medicine*. Mar 12 2015.
- Wellington A, Perlman JM. Infant-driven feeding in premature infants: a quality improvement project. *Arch Dis Child Fetal Neonatal Ed*. Epub Jun 11 2015.
- White-Traut R, Rankin KM, Pham T, Li Z, Liu L. Preterm infants' orally directed behaviors and behavioral state responses to the integrated H-HOPE intervention. *Infant Behav Dev*. Nov 2014;37(4):583-596.
- White-Traut RC, Rankin KM, Yoder JC, et al. Influence of H-HOPE intervention for premature infants on growth, feeding progression and length of stay during initial hospitalization. *J Perinatol*. Aug 2015;35(8):636-641.
- Winnicott DW. *The child, the family, and the outside world*. Reading, Mass.: Addison-Wesley Pub. Co.; 1987.
- Zarem C, Kidokoro H, Neil J, Wallendorf M, Inder T, Pineda R. Psychometrics of the neonatal oral motor assessment scale. *Dev Med Child Neurol*. Dec 2013;55(12):1115-1120.

Zhang Y, Lyu T, Hu X, Shi P, Cao Y, Latour JM. Effect of nonnutritive sucking and oral stimulation on feeding performance in preterm infants: a randomized controlled trial. *Pediatr Crit Care Med.* Sep 2014;15(7):608-614.